

Thermowells

Description

Thermowell material

Stainless steel 1.4571, 316/316L Carbon steel 1.0460, 1.5415, 1.7335, 1.7380

Process connection

Thermowell outer diameter (bar diameter) Ø 18 mm, 24 mm, 26 mm, 32 mm ...

Flanges to valid national or international standards like EN 1092-1, DIN 2527

Instrument connection

M14 x 1.5, M18 x 1.5, G ½, G ¾ female

Bore size

Ø 3.5 mm, Ø 7 mm, Ø 9 mm, Ø 11 mm

Maximum process pressure

Dependent upon pressure rating of flange

Weld-in thermowells see DIN 43 772



Special Features

- Design per DIN 43 772

Applications

- Chemical industry, process technology, apparatus construction
- For high process loads

